



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

Date : Aug. 11, 2006
Appl. No. : 10/718,147
Patent No : 6,917,206
Inventor : Rains et al.
Issued : Jul. 12, 2005
For : MULTIPLE FREQUENCY GRAIN MOISTURE SENSOR FOR COMBINES

Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rule 1.322.

Respecting the alleged error(s) regarding claims 13, after inspection of the application by the Supervisory Patent Examiner, the SPE cites, "*The proposed change to claim 13 is not proper, as this claim did not depend directly from claim 1*". Therefore, being no fault of the Patent and Trademark Office, no correction(s) is/are in order here under United States Codes (U.S.C.) 254 or 255 and the Code of Federal Regulation (C.F.R.) 1.322 or 1.323).

In view of the foregoing, your request is hereby denied.

A certificate will issue for the remaining error(s) in your request.

Note: This is a general hint, which may decrease the processing time of your request. If you obtain data that clearly shows the attorney/applicant is not in error, simply include proving/supporting documentation and associated post card receipts, along with your certificate of correction or reconsideration via postal mail, not by fax. If you do not have supporting documentation that clearly shows the attorney/applicant is not in error and verifies that the PTO is in error regarding the matter in your request- then, the appropriate fee of \$100.00 with your "Certificate of Correction" or "Reconsideration Certificate of Correction" - will be necessary. Without supporting documentation, depending upon the matter in your request, it is possible - that in addition, a petition with its appropriate fee of \$130.00 may be necessary, or the request may be denied. Please be advised that - "identification of the exact point of error by reference to column and line number of the printed patent" provides clarity for processing a request. Please see the MPEP for further instruction and understanding.

Stacy Powell, Sr.
For Cecelia B. Newman, Supervisor
Decisions & Certificates of
Correction Branch
(703) 308-9390 ext. 120 or (703) 305-8309

Zarley Law Firm, P.L.C.
Capital Square
400 Locust Street, Suite 200
Des Moines, IA 50309-2350

CBN/spsr